

PERFORMANCE PUBLICATION

Poly3rdTube[®] INSTALLATION INFORMATION (507) 724-TOON • PONTOONWHOLESALERS.COM

 Name

 Phone # ______
 Email Address ______

 Address

PROPELLER SPECIFICATIONS

Propeller Manufacturer	
Series	
Diameter/Pitch	
Part #	

BOAT SPECIFICATIONS

Manufacturer	
Boat Model	
Length	
Beam	
Maximum HP Capacity	
Steering Type	
Dry Boat Weight	
Tube Diameter & Shape	
Tube Bottom to Cross Chan	nel

ENGINE SPECIFICATIONS

WHOLESALERS

Poly3rdTube®

Engine Manufacturer	
Engine Model Number	
Horsepower	
Mounting Hole Position	

TEST CONDITIONS

BEFORE	- Test Date Test Conductor Air Temperature Wind Velocity Fuel Level at Testing Boat Weight as Tested # People (with load) - # People (without load)	
AFTER	- Test Date Test Conductor Air Temperature Wind Velocity Fuel Level at Testing Boat Weight as Tested # People (with load) - # People (without load)	

PERFORMANCE DATA

BEFORE

RPM	MPH (with load)	MPH (no load)
1000		
2000		
3000		
3500		
4000		
4500		
5000		
5500		
6000		

AFTER

RPM	MPH (with load)	MPH (no load)
1000		
2000		
3000		
3500		
4000		
4500		
5000		
5500		
6000		

Seconds 0-20 MPH (with load) Seconds 0-20 MPH (without load) Prop Slip % Seconds 0-20 MPH (with load) Seconds 0-20 MPH (without load) Prop Slip %

* Results on individual boats may vary depending on many factors, including weather and the condition of the propeller, lower unit and boat bottom.